

## - LOCAL PUBLIC HEALTH

[illegible]

## NATALITY

<b>TOTAL LIVE BIRTHS</b> 918			<b>Birth Order</b>			<b>Marital Status of Mother</b>		
Crude Live Birth Rate	10.8		First	341	37	Married	683	74
General Fertility Rate	53.4		Second	310	34	Not married	235	26
Live births with reported congenital anomalies	14	. %	Third	150	16	Unknown	0	0
			Fourth or higher	117	13			
			Unknown	0	0			
<b>Delivery Type</b>			<b>First Prenatal Visit</b>			<b>Education of Mother</b>		
Vaginal after previous cesarean	29	3	1st trimester	821	89	Elementary or less	23	3
Forceps	27	3	2nd trimester	81	9	Some high school	118	13
Other vaginal	688	75	3rd trimester	12	1	High school	343	37
Primary cesarean	106	12	No visits	4	<.5	Some college	236	26
Repeat cesarean	68	7	Unknown	0	0	College graduate	197	21
Other or unknown	0	0				Unknown	1	<.5
<b>Birth Weight</b>			<b>Number of Prenatal Care visits</b>			<b>Smoking Status of Mother</b>		
<1,500 gm	8	0.9	No visits	4	<.5	Smoker	208	23
1,500-2,499 gm	39	4.2	1-4 visits	8	1	Nonsmoker	710	77
2,500+ gm	871	94.9	5-9 visits	83	9	Unknown	0	0
Unknown	0	0.0	10-12 visits	363	40			
			13+ visits	457	50			
			Unknown	3	<.5			
			<b>Low Birth Weight (under 2,500 gm)</b>			<b>Trimester of First Prenatal Visit</b>		
<b>Race of Mother</b>								
	<b>Total Births</b>		<b>Births</b>	<b>Percent</b>		<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>
	<b>Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>	<b>Births</b>
White	877	96	44	5.0		802	91	62
Black	2	<.5	*	.		*	.	7
Other	38	4	3	7.9		19	50	17
Unknown	1	<.5	*	.		*	.	45
								2
								*
								.
			<b>Low Birth Weight (under 2,500 gm)</b>			<b>Trimester of First Prenatal Visit</b>		
<b>Age of Mother</b>								
	<b>Fertility</b>		<b>Births</b>	<b>Percent</b>		<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>	<b>Births</b>
<15	1	--	*	.		*	.	*
15-17	36	19	3	8.3		21	58	12
18-19	53	39	5	9.4		42	79	10
20-24	193	77	8	4.1		160	83	27
25-29	281	126	4	1.4		265	94	15
30-34	232	91	19	8.2		221	95	9
35-39	106	33	8	7.5		97	92	6
40+	16	.	.	.		14	88	2
Unknown	0	--	.	.		.	.	13
								.
								.
								.
<b>Teenage Births</b>	90	27						

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	18
Giardiasis	13
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussis	<5
Salmonellosis	11
Shigellosis	<5
Tuberculosis	<5

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	97
Genital Herpes	29
Gonorrhea	5
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	.

## ----- IMMUNIZATIONS -----

## Children in Grades K-12 by Compliance Level

Compliant	15,588
Non-compliant	170
Percent Compliant	98.9

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	860
Crude Death Rate	1,013

Age	Deaths	Rate
1-4	3	.
5-14	.	.
15-19	6	.
20-34	17	.
35-54	47	187
55-64	71	891
65-74	160	2,431
75-84	259	5,188
85+	289	14,746

Infant

Mortality	Deaths	Rate
Total Infant	8	.
Neonatal	3	.
Postneonatal	5	.
Unknown	.	.

Race of Mother

White	8	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	5	.
1,500-2,499 gm	.	.
2,500+ gm	3	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	7	.
Neonatal	3	.
Fetal	4	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	263	310
Ischemic heart disease	.	.
Cancer (total)	196	231
Trachea/Bronchus/Lung	.	.
Colorectal	18	.
Female Breast	20	46*
Cerebrovascular Disease	72	85
Lower Resp. Disease	.	.
Pneumonia & Influenza	32	38
Injuries	68	80
Motor vehicle	19	.
Diabetes	15	.
Infectious & Parasitic	7	.
Suicide	7	.

\* Rate for female breast cancer based on female population.

## ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	12	.
Other Drugs	6	.
Both Mentioned	1	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	871	19
Alcohol-Related	124	5
With Citation:		
For OWI	89	0
For Speeding	57	0
Motorcyclist	41	2
Bicyclist	23	0
Pedestrian	26	1

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	710	8.4	4.7	\$12,184	\$102	Total	343	4.0	2.5	\$2,209	\$9
<18	53	2.5	3.3	\$9,731	\$25	18-44	218	7.0	1.9	\$1,568	\$11
18-44	173	5.6	3.9	\$12,754	\$71	45-64	93	4.8	3.3	\$2,818	\$13
45-64	166	8.5	4.3	\$12,253	\$104	<b>Pneumonia and Influenza</b>					
65+	318	23.5	5.6	\$12,247	\$288	Total	400	4.7	5.5	\$8,276	\$39
<b>Injury: Hip Fracture</b>						<18	60	2.9	3.2	\$4,694	\$14
Total	110	1.3	5.7	\$14,001	\$18	45-64	60	3.1	4.9	\$8,799	\$27
65+	97	7.2	5.7	\$13,591	\$97	65+	247	18.3	6.4	\$6	\$0
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	39	0.5	1.6	\$3,577	\$2	Total	315	3.7	4.7	\$9,853	\$37
18-44	22	0.7	1.1	\$3,050	\$2	45-64	51	2.6	5.5	\$15,376	\$40
<b>Psychiatric</b>						65+	256	18.9	4.6	\$8,537	\$161
Total	471	5.5	8.9	\$6,473	\$36	<b>Chronic Obstructive Pulmonary Disease</b>					
<18	90	4.3	13.1	\$8,798	\$38	Total	209	2.5	4.3	\$5,713	\$14
18-44	197	6.3	7.5	\$5,190	\$33	<18	29	1.4	2.1	\$2,552	\$4
45-64	89	4.6	7.3	\$5,853	\$27	18-44	15	.	.	.	.
65+	95	7.0	9.5	\$7,510	\$53	45-64	44	2.3	4.3	\$6,379	\$14
<b>Coronary Heart Disease</b>						65+	121	8.9	5.0	\$6,503	\$58
Total	583	6.9	3.8	\$14,778	\$101	<b>Drug-Related</b>					
45-64	185	9.5	3.1	\$16,395	\$156	Total	29	0.3	9.1	\$5,928	\$2
65+	386	28.5	4.1	\$14,101	\$402	18-44	16	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	439	5.2	6.3	\$15,444	\$80	Total	10,539	124.1	4.4	\$8,414	\$1,045
18-44	40	1.3	4.2	\$14,275	\$18	<18	1,665	80.1	3.0	\$3,804	\$305
45-64	136	7.0	6.3	\$17,725	\$124	18-44	2,497	80.4	3.1	\$5,778	\$465
65+	259	19.1	6.6	\$14,256	\$273	45-64	1,930	99.0	4.4	\$10,740	\$1,063
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	4,447	328.6	5.6	\$10,611	\$3,487
Total	46	1.1	3.0	\$8,967	\$10	<b>PREVENTABLE HOSPITALIZATIONS*</b>					
<b>Neoplasms: Colo-rectal</b>						Total	1,456	17.2	4.6	\$6,684	\$115
Total	46	0.5	8.8	\$17,725	\$10	<18	173	8.3	2.4	\$2,877	\$24
65+	31	2.3	9.7	\$19,082	\$44	18-44	153	4.9	3.0	\$4,736	\$23
<b>Neoplasms: Lung</b>						45-64	244	12.5	4.3	\$7,186	\$90
Total	32	0.4	8.3	\$18,812	\$7	65+	886	65.5	5.4	\$7,626	\$499
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	86	1.0	4.8	\$7,540	\$8						
65+	32	2.4	5.5	\$7,353	\$17						